BIEMMEDUE
heating, cleaning and drying

10 bar



ANDROMEDA

PROFESIONALNI PAROČISTAČ SA USISIVAČEM

PROFESSIONAL STEAM AND VACUUM CLEANER

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

ANDROMEDA - PROFESIONALNI PAROČISTAČ SA USISIVAČEM

- Nazivni pritisak od 10 bar i temperatura pare od 190°C
- Kotao od nerđajućeg čelika AISI 304
- Proizvodnja pare: kontinuirani protok sa sistemom automatskog punjenja, mogućnost rada 24h bez prekida
- Sistem automatskog dopunjavanja i mogućnost dolivanja iz vodovodne mreže (direktno, bez intervencije rukovaoca)
- Funkcija ubrizgavanja tople vode/hidromlaza (ID) vrhunskih performansi
- Istovremeni rad dva rukovaoca. PRIKLJUČAK 1: funkcije pare, usisavanja i ubrizgavanja deterdženta. PRIKLJUČAK 2: funkcije pare, usisavanja i ubrizgavanja tople vode/hidromlaza (ID)

- Idealan za čišćenje mašina, kalupa, radioničke opreme, velikih površina, industrijskih peći, radnih površina i prehrambenih zona, uz znatnu uštedu vode i smanjeno ispuštanje hemijskih sredstava u okolinu
- Širok asortiman dodatne opreme za čišćenje bilo koje površine

- *Nominal pressure of 10 bar and steam temperature of 190°C*
- *Boiler in AISI 304 stainless steel*
- *Steam production: continuous flow with automatic filling system and possibility to work 24h no stop*
- *Automatic refill system and possibility to top up from the water supply (directly without operator intervention)*
- *Injection of hot water/idro (ID) function for very high performances*
- *Simultaneous use by two operators: SOCKET 1: steam function, suction and detergent injection. SOCKET 2: steam function, suction and hot water / water jet injection.*
- *Cleaner suitable for cleaning of machinery, molds, of workshop equipment, large surfaces, industrial ovens, worktops, food areas, etc .. with important saving on water consumption and on release into the environment of chemical agents*
- *Wide range of accessories for cleaning any surface*









SERIJSKA OPREMA / *SUPPLIED ACCESSORIES*



N°	ŠIFRA	TIP - *TYPE*	OPIS - *DESCRIPTION*
1	S.010002*	PARA/USISAVANJE *STEAM/VAC*	Industrijska produžna cev (x2) *Industrial extension pipe (x2)*
2	S.010068	PARA/USISAVANJE *STEAM/VAC*	Industrijska mlaznica *Industrial nozzle*
3	S.010005	PARA/USISAVANJE *STEAM/VAC*	Industrijska četka (400 mm) *Industrial brush (400 mm)*
4	S.010009	PARA/USISAVANJE *STEAM/VAC*	Ram za tepihe za industrijsku četku (400mm) *Carpet frame for industrial brush (400 mm)*
5	S.010010	PARA/USISAVANJE *STEAM/VAC*	Ram za podove za industrijsku četku 400mm *Floor frame for industrial brush (400 mm)*
6	S.010011	PARA/USISAVANJE *STEAM/VAC*	Ram za parket za industrijsku četku (400 mm) *Parquet frame for industrial brush (400 mm)*
7	S.010012	PARA/USISAVANJE *STEAM/VAC*	Industrijski brisač stakla (150 mm) *Industrial window cleaner (150 mm)*
8	S.010013	PARA/USISAVANJE *STEAM/VAC*	Ram sa čekinjama (150 mm) za brisač stakla *Bristle frame (150 mm) for industrial window cleaner*
9	S.010014	PARA/USISAVANJE *STEAM/VAC*	Ram sa gumom (150 mm) za brisač stakla *Rubber frame (150 mm) for industrial window cleaner*
10	S.010016	PARA/USISAVANJE *STEAM/VAC*	Vertikalna mlaznica *Vertical crevice tool*
11	S.010017	PARA/USISAVANJE *STEAM/VAC*	Horizontalna mlaznica *Horizontal crevice tool*
12	S.240034	PARA/USISAVANJE *STEAM/VAC*	Fleksibilno crevo 5 m (ILME) *Flexible hose 5 m (ILME)*
13	S.010025*	PARA - *STEAM*	Četkica (Ø 32,6 mm), poliesterske čekinje (x3) *Brush (diam. 32,6 mm) with nylon bristles (x3)*
14	S.010028*	PARA - *STEAM*	Četkica (Ø 60 mm), poliesterske čekinje (x2) *Brush (diam.60 mm) with nylon bristles (x2)*
15	S.010029	PARA - *STEAM*	Četkica (Ø 60 mm), čekinje od nerđ. čelika *Brush (diam. 60 mm) with stainless steel bristles*
16	S.010030	PARA - *STEAM*	Četkica (Ø 60 mm), čekinje od fosforne bronze *Brush (diam. 60 mm) with bronze bristles*
17	S.250039	PARA - *STEAM*	Industrijsko savijeno koplje (450 mm) *Industrial curved lance (450 mm)*
18a	B.CC-CP00008	-	Tečni superkoncentrat protiv kamenca 30ml *Super-concentrated limescale inibitor 30 ml*
18b	B.C-CPL00016	-	Prazna flaša 500 ml *Empty bottle 500 ml*
19	S.180002	-	Ekološki deterdžent *Ecological detergent*
20	S.240035	PARA - *STEAM*	Fleksibilno crevo 5 m (ILME) *Flexible hose 5 m (ILME)*


* Šifra se odnosi na 1 komad - *Code referred to 1 single piece*

DODATNA OPREMA NA ZAHTEV / *ACCESSORIES ON DEMAND*

PROVIDNA MLAZNICA PARA/USIS. (VELIKA - "S" PRIKLJUČAK) *TRANSPARENT STEAM/VAC CREVICE TOOL (BIG- "S" CONNECTION)*	PROVIDNA MLAZNICA PARA/USIS. (MALA - "S" PRIKLJUČAK) *TRANSPARENT STEAM/VAC CREVICE TOOL (SMALL-" S" CONNECTION)*
	
Šifra S.010031	**Šifra** S.010032

ANDROMEDA - PROFESIONALNI PAROČISTAČ SA USISIVAČEM

PROFESSIONAL STEAM AND VACUUM CLEANER



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
ANDROMEDA	800	500	810	80	1000	1200	900	96

		ANDROMEDA
šifra *code*		● S.270060
boja *colour*		STEEL GREY
zapremina rezervoara za deterdžent *detergent tank capacity*	[l]	13
zapremina rezervoara za vodu *water tank capacity*	[l]	35
pritisak *pressure*	[bar]	10
temperatura pare u kotlu *boiler steam capacity*	[°C]	190
napajanje *power supply*	[V - ph - Hz]	380 - 3 - 50
ukupna potrošnja snage *total power consumption*	[kW]	19,8
potrošnja snage kotla *boiler power consumption*	[kW]	18
zapremina kotla *boiler volume*	[l]	15
protok pare EV1, EV2 *steam injection EV1, EV2*	[gr/min]	380
protok deterdženta+pare (EV1) *detergent/steam injection (EV1)*	[gr/min]	480
protok vode+pare (EV2) *hot water/steam injection (EV2)*	[gr/min]	520
kotao *boiler*		AISI 304
potrošnja snage motora usisivača *vac motor power consumption*	[kW]	1,8
podpritisak *vac depression*	[mm H_2O]	3.263
zapremina rezervoara za prljavštinu *waste tank capacity*	[l]	21
vreme zagrevanja (para spremna za upotrebu) *heating time (steam ready to use)*	[min]	8
dužina električnog kabla *power cable lenght*	[m]	7

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com