BIEMMEDUE
heating, cleaning and drying



DR 100

PROFESIONALNI ISUŠIVAČ VLAGE

PROFESSIONAL DEHUMIDIFIER

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

DR 100

- Elektronska kontrolna ploča sa grafičkim displejem
- Interaktivna grafička dijagnostika
- Ugrađeni digitalni termohigrostat
- Parcijalni (resetabilni) i ukupni brojač sati
- Kabl za napajanje sa utikačem
- Programabilno automatsko isključivanje
- Svetlosni/zvučni indikator punog rezervoara
- Automatsko ponovno pokretanje nakon pada ili prekida napajanja
- Hermetički rotacioni kompresor
- Automatsko odmrzavanje pri niskim temperaturama ubrizgavanjem vrelog gasa
- Eco friendly gas conformity 2020 EU Regulation
- Mogućnost direktnog odvoda vode zahvaljujući priloženom kitu creva za odvod
- Teleskopska cevasta drška
- Karoserija je u celosti izrađena od lakiranog pocinkovanog lima
- Gumeni točkovi koji ne ostavljaju tragove
- Svi modeli serije se lako slažu jedan na drugi za praktično i efikasno skladištenje

- *Electronic control board with graphic display*
- *Interactive graphic diagnostics*
- *Built-in digital thermo*
- *Partial resettable and total counter*
- *Power supply cable with plug*
- *Programmable auto-off*
- *Full tank light / acoustic indicator*
- *Automatic reset in case of power drops or interruptions*
- *Hermetic rotary compressor*
- *Automatic defrost for low temperatures by injection of hot gas*
- Eco friendly gas conformity 2020 EU Regulation
- *Possibility of direct discharge thanks to a water pipe kit included*
- *Telescopic tubular handle*
- *The body is made entirely of painted galvanized sheet metal*
- *Stain-resistant rubber wheels*
- *All the models in the series can be easily stacked for practical and effective storage*









OPREMA U ISPORUCI / *SUPPLIED ACCESSORIES*


KIT CREVA ZA ODVOD VODE SA NASTAVKOM I BRTVOM
WATER PIPE WITH CONNECTION AND GASKET KIT



Mod. l= 6 m
Šif. 06AC111

DODATNA OPREMA NA ZAHTEV / *ACCESSORIES ON DEMAND*

KIT ZIDNIH NOSAČA
WALL SUPPORT KIT



Šif. 06AC113

KIT POMPE ZA ODVOD KONDENZATA
CONDENSATION PUMP KIT



Šif. 06AC121

KIT OKRETNIH TOČKOVA SA KOČNICOM
SWIVELLING WHEELS WITH BRAKE




Šif. 06AC122

SPOLJNI ANALOGNI HIGROSTAT SA KABLOM OD 10 M I UTIKAČEM
ANALOGIC HUMIDOSTAT WITH 10 M CABLE AND PLUG



Šif. 06AC117

DR 100



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
DR 100	678	669	974	83,5	740	720	1.110	95

MODEL - *MODEL*		**DR 100**
šifra - *code*		06DE151
opseg temperature (radno područje) - *temperature range (operating working)*	[°C]	3 - 40
opseg vlažnosti (radno područje) - *humidity range (operating working)*	[%]	20 - 100
kapacitet isušivanja - *dehumidification ability* (@ 32°C - 90%)	[l/24h]	100,80
kapacitet isušivanja - *dehumidification ability* (@ 30°C - 80%)	[l/24h]	81,78
kapacitet isušivanja - *dehumidification ability* (@ 15°C - 70%)	[l/24h]	25,63
protok vazduha - *air flow*	[m^3/h]	1.000
zapremina posude za vodu - *water container capacity*	[l]	-
električno napajanje - *power supply*	[V, ~, Hz]	230, 1, 50
maks. ulazna električna snaga - *max electrical power* (@ 32°C - 90%)	[W]	1.550
specifična potrošnja energije - *specific energy consumption* (@ 32°C - 90%)	[kWh/liter]	0,37
specifična potrošnja energije - *specific energy consumption* (@ 30°C - 80%)	[kWh/liter]	0,41
specifična potrošnja energije - *specific energy consumption* (@ 15°C - 70%)	[kWh/liter]	0,98
rashladni gas - *refrigerant*		R454C
tip kompresora - *compressor type*		rotacioni - *rotary*
klasa zaštite - *protection class*		IP X4
nivo buke na 1 metru - sound level at 1 meter	[dBA]	62

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com