BIEMMEDUE
heating, cleaning and drying



DR 50

PROFESIONALNI ISUŠIVAČ VLAGE

PROFESSIONAL DEHUMIDIFIER

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

DR 50

- Elektronska kontrolna ploča sa grafičkim displejem
- Interaktivna grafička dijagnostika
- Ugrađeni digitalni termohigrostat
- Parcijalni (resetabilni) i ukupni brojač sati
- Kabl za napajanje sa utikačem
- Programabilno automatsko isključivanje
- Svetlosni/zvučni indikator punog rezervoara
- Automatsko ponovno pokretanje nakon pada ili prekida napajanja
- Hermetički rotacioni kompresor
- Automatsko odmrzavanje pri niskim temperaturama ubrizgavanjem vrelog gasa
- Posuda za sakupljanje vode
- Eco friendly gas conformity 2020 EU Regulation
- Mogućnost direktnog odvoda vode kitom za odvod (dodatna oprema na zahtev)
- Teleskopska cevasta drška
- Karoserija je u celosti izrađena od lakiranog pocinkovanog lima
- Gumeni točkovi koji ne ostavljaju tragove
- Svi modeli serije se lako slažu jedan na drugi za praktično i efikasno skladištenje

- *Electronic control board with graphic display*
- *Interactive graphic diagnostics*
- *Built-in digital thermo*
- *Partial resettable and total counter*
- *Power supply cable with plug*
- *Programmable auto-off*
- *Full tank light / acoustic indicator*
- *Automatic reset in case of power drops or interruptions*
- *Hermetic rotary compressor*
- *Automatic defrost for low temperatures by injection of hot gas*
- *Water collection tray*
- Eco friendly gas conformity 2020 EU Regulation
- *Possibility of direct discharge thanks to a gasket kit (accessories on demand)*
- *Telescopic tubular handle*
- *The body is made entirely of painted galvanized sheet metal*
- *Stain-resistant rubber wheels*
- *All the models in the series can be easily stacked for practical and effective storage*











DODATNA OPREMA NA ZAHTEV / *ACCESSORIES ON DEMAND*

KIT CREVA ZA ODVOD VODE SA NASTAVKOM I BRTVOM *WATER PIPE WITH CONNECTION AND GASKET KIT*	KIT ZIDNIH NOSAČA *WALL SUPPORT KIT*
	
Mod. l= 6 m **Šif.** 06AC111	**Šif.** 06AC113
KIT POMPE ZA ODVOD KONDENZATA KOMPLET SA CREVOM* *CONDENSATION PUMP KIT WITH HOSE INCLUDED**	KIT OKRETNIH TOČKOVA SA KOČNICOM *SWIVELLING WHEELS WITH BRAKE*
	
Šif. 06AC119	**Šif.** 06AC122
KIT IZLAZA ZAGREJANOG VAZDUHA SA 2 CREVA *TWO PIPES HEATED AIR OUTLET KIT*	**CREVO ZA IZLAZ VAZDUHA** *OUTLET PIPE*
	
Šif. 06AC115	**Šif.** 02AC577*

* Šifra se odnosi na 1 komad - *Code referred to 1 single piece*
** Zamenjuje posudu za vodu - *To replace the water collection tray*

DR 50



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
DR 50	568	554	777	55	630	605	920	65

MODEL - *MODEL*		**DR 50**	**DR 50 DUAL VOLTAGE**
šifra - *code*		06DE131	06DE331
opseg temperature (radno područje) - *temperature range (operating working)*	[°C]	3 - 40	
opseg vlažnosti (radno područje) - *humidity range (operating working)*	[%]	20 - 100	
kapacitet isušivanja - *dehumidification ability* (@ 32°C - 90%)	[l/24h]	52,39	
kapacitet isušivanja - *dehumidification ability* (@ 30°C - 80%)	[l/24h]	45,08	
kapacitet isušivanja - *dehumidification ability* (@ 15°C - 70%)	[l/24h]	19,80	
protok vazduha - *air flow*	[m³/h]	450	
zapremina posude za vodu - *water container capacity*	[l]	17	
električno napajanje - *power supply*	[V, ~, Hz]	230, 1, 50	110/230, 1, 50
maks. ulazna električna snaga - *max electrical power* (@ 32°C - 90%)	[W]	890	
specifična potrošnja energije - *specific energy consumption* (@ 32°C - 90%)	[kWh/liter]	0,41	
specifična potrošnja energije - *specific energy consumption* (@ 30°C - 80%)	[kWh/liter]	0,47	
specifična potrošnja energije - *specific energy consumption* (@ 15°C - 70%)	[kWh/liter]	0,67	
rashladni gas - *refrigerant*		R454C	
tip kompresora - *compressor type*		rotacioni - *rotary*	
klasa zaštite - *protection class*		IP X4	
nivo buke na 1 metru - sound level at 1 meter	[dBA]	59	

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com