BIEMMEDUE
heating, cleaning and drying

NEW



EX -F 80

USISIVAČI ZA SUVO I MOKRO USISAVANJE SA MAŠINOM ZA SUVU PENU

WET & DRY VACUUM CLEANERS COMBINED WITH A DRY FOAM MACHINE

EX-F 80 - USISIVAČI ZA SUVO I MOKRO USISAVANJE SA MAŠINOM ZA SUVU PENU

- Ovi modeli objedinjuju u jednom uređaju sve karakteristike usisivača za suvo i mokro usisavanje sa profesionalnim generatorom pene, sa posebnim priključkom za komprimovani vazduh.
- Rastvor za penu nanosi se direktno na površinu koju treba očistiti pomoću posebnih namenskih alata, što olakšava čišćenje i uklanjanje mrlja sa površina
- Snažni motori uklanjaju prljavštinu i penu sa površina, ostavljajući ih potpuno suvim. Izuzetno bezbedan i efikasan način za pranje i pravilno čišćenje čak i najosetljivijih tkanina i površina kao što su tepisi, tapacirani nameštaj, madraci, unutrašnjost automobila, podovi, zidovi itd.
- Novi modeli EX-F 80 namenjeni su zahtevnim profesionalcima koji žele da brzo i efikasno očiste površine: izrađeni su sa membranskom pumpom sa bypass-om i integrisanim presostatom, posebno projektovanom, testiranom i proverenom u najtežim radnim uslovima. EX-F 80 je opremljen priključkom za komprimovani vazduh koji omogućava stvaranje pene


- *Full use of a wet & dry vacuum cleaner combined with a Foam cleaning machine, all in one unit*
- *The Foam solution is spayed directly to the surface to be cleaned with special and dedicated tools that help in mechanical cleaning and stain removal*
- *The powerful vacuum motor(s) will then remove all dirt and liquids from the surface, leaving it almost dry. A very safe and effective way to wash and properly clean even the most sensitive fabrics and surfaces such as carpets, upholstery, mattresses, car interiors, floors, walls, etc.*
- *New and improved extra durable and reliable models EX-F 80 for the demanding professional that need to clean in an effective and quick way . Models equipped with specially designed membrane pump with integrated bypass and pressure switch, tested and proven under the harshest conditions EX-F 80 is equipped with special connection for compressed air allowing to generate foam*

EX-F 80 M ECO



EX-F 80 P ECO










SERIJSKA OPREMA / *SUPPLIED ACCESSORIES*

	ŠIFRA	OPIS - *DESCRIPTION*
	004.329	Fleksibilno crevo prečnika 40 mm, komplet (l= 3 m) *Flexible hose diam.40 mm complete (l= 3 m)*
	004.359	Ručni nastavak za pranje enterijera *Car seat wash upholstery hand tool*
	08AC014	Koplje za penu *Foam lance*
	08AC013	Kompletna četka za pranje enterijera *Complete car seat wash brush*
	004.310	Spiralno crevo za vazduh (l= 10m) *Spiral hose kit (l= 10m)*
	004.134	Poliesterski filter sa nosačem filtera *Polyester filter with support ring*
	004.367	Filter od sunđera *Sponge filter*

DODATNA OPREMA NA ZAHTEV / *ACCESSORIES ON DEMAND*

KIT 40 *KIT 40*		RUČNI NASTAVAK + CREVO (L= 1,8m) *UPHOLSTERY HAND TOOL, COMPLETE WITH FLEXIBLE HOSE (L= 1,8m)*
		
Mod. EX-F 80 Fleksibilno crevo prečnika 40 mm, komplet (l= 3m) *Flexible hose diam.40 mm complete (l= 3m)* **Šifra** 004.329	**1**	**Mod.** EX-F 80 **Šifra** 004.398
Mod. EX-F 80 Dvostruko koleno od čelika, prečnika 40 mm *Double-elbow steel tube, diam.40 mm* **Šifra** 004.046	**2**	
Mod. EX-F 80 Četka sa čekinjama „S" prečnika 40 mm *Brush floor tool "S" diam.40 mm* **Šifra** 004.331	**3**	
Mod. EX-F 80 Usisna letva za tečnosti prečnika 40 mm *Squeegee floor tool diam.40 mm* **Šifra** 004.326	**4**	
Mod. EX-F 80 Ravni nastavak prečnika 40 mm *Crevice tool diam.40 mm* **Šifra** 004.421	**5**	
Mod. EX-F 80 Okrugla četkica prečnika 40 mm *Round brush diam.40 mm* **Šifra** 004.088	**6**	

EX-F 80 - USISIVAČI ZA SUVO I MOKRO USISAVANJE SA MAŠINOM ZA SUVU PENU
WET & DRY VACUUM CLEANERS COMBINED WITH A DRY FOAM MACHINE



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
EX-F 80 P ECO	660	560	1.000	32	694	604	1.035	35
EX-F 80 M ECO	660	560	1.000	34	694	604	1.035	37

		EX-F 80 P ECO	EX-F 80 M ECO
šifra - *code*		● 08EX005	● 08EX004
maks. snaga - *max. power*	[W]	2.400+55	2.400+55
napajanje - *power supply*	[V - ph - Hz]	1-230/50-60	1-230/50-60
tip motora - *motor type*		BP	BP
motori - *motors*	[NR]	2	2
podpritisak - *water lift*	[mm H_2O]	2.500	2.500
protok vazduha pri usisavanju - *vacuum air flow*	[m^3/h]	430	430
pritisak vazduha za napajanje - *inlet air pressure*	[bar]	4,0	4,0
isporučeni protok pumpe - *delivered flow rate*	[l/min]	0,3	0,3
zapremina posude u litrima - *tank volume in liters*	[l]	80	80
zapremina rezervoara za čistu vodu *clean water tank volume*	[l]	16	16
materijal posude - *tank material*		PP	SS 430
nivo buke - *noise level*	[dBA]	78	78
komplet pribora - *attachments kit*	[mm]	40	40
dužina električnog kabla - *electric cable lenght*	[m]	7	7
dimenzije palete - *pallet dimensions*	[cm]	110x130x217	110x130x217
količina po paleti - *pallet quantities*	[kom - pcs]	8	8

BP = Dvostepeni sa bypass hlađenjem - *2 stage with bypass cooling*
PP = polipropilen - *polyproylene*
SS 430 = Nerđajući čelik AISI 430 - *Stainless steel AISI 430*

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com