BIEMMEDUE
heating, cleaning and drying



PHOENIX

PROFESIONALNI PAROČISTAČ

PROFESSIONAL STEAM CLEANER

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

PHOENIX - PROFESIONALNI PAROČISTAČ

- Nominalni pritisak od 10 bar i temperatura pare od 190°C
- Kotao od nerđajućeg čelika AISI 316
- Proizvodnja pare: kontinuirani protok sa sistemom automatskog punjenja, rad 24h bez prekida
- Progresivna regulacija pare direktno na mašini
- Lagan, kompaktan i lak za transport, a profesionalnih performansi
- Izuzetno jednostavan za upotrebu i pripremu
- Mašina proizvodi suvu, zasićenu paru visokog kvaliteta i održava stabilan radni pritisak
- Idealan za čišćenje parom mašina, frižidera, rerni, podova, prozora, radnih površina, profesionalnih prostora i radionica
- Standardni priključak za paru
- Dostupan i sa profesionalnom peglom i vertikalnom četkom za peglanje odeće
- Nema više hemije – ekološko čišćenje doma
- Širok izbor dodatne opreme za čišćenje svih površina

- *Nominal pressure of 10 bar and steam temperature of 190°C*
- *Boiler in AISI 316 stainless steel*
- *Steam production: continuous flow with automatic filling system and possibility to work 24h no stop*
- *Progressive steam regulation: praticable directly on-board*
- *The machine is compact and easy to carry but with high professional performances*
- *Extremely easy to use and prepare*
- *The machine produces dry, saturated and high quality steam and can maintain a stable working pressure*
- *Ideal for the cleaning of refrigerators, ovens, floors, windows, worktops, professional environments and workshops*
- *Standard steam socket*
- *Also available with professional iron, vertical brush for clothes*
- *No more chemical cleaning for an eco-friendly home*
- *Wide range of accessories for cleaning any surface*









SERIJSKA OPREMA / *SUPPLIED ACCESSORIES*



N°	ŠIFRA	OPIS - *DESCRIPTION*
1	S.010025	Četkica (prečnik 32,6 mm), poliesterske čekinje *Brush (diam. 32,6 mm) with nylon bristles*
2	S.010027	Četkica (prečnik 32,6 mm), čekinje od fosforne bronze *Brush (diam. 32,6 mm) with bronze bristles*
3	S.010028	Četkica (prečnik 60 mm), poliesterske čekinje *Brush (diam.60 mm) with nylon bristles*
4	S.220017	Kanister 3l *3l tank*
5a	10AC016	Tečno superkoncentrisano sredstvo protiv kamenca 30ml *Super-concentrated limescale inibitor 30 ml*
5b	B.CCPL00016	Prazna bočica 500 ml *Empty bottle 500 ml*
6	S.010035	Bela krpica *White cloth*
7	S.240029	Fleksibilno crevo 2,5m *Flexible hose 2,5m*
8	S.010052*	Produžna cev (x2) *Extension pipe (x2)*
9	S.010053	Pravougaona četka *Rectangular brush*
10	S.010054	Trouglasta četka *Triangular brush*
11	S.010055*	Zglob (x2) *Elbow (x2)*
12	S.010056	Brisač stakla *Window cleaner*
13	S.010069	Koplje za četkice *Lance for brushes*
14	S.010072	Pravougaoni jastučić *Rectangular pad*
15	S.010071	Trouglasti jastučić *Triangular pad*
16	S.210027	Ključ za ispuštanje *Drainage key*
17	S.010087	Levak *Funnel*

* Šifra se odnosi na 1 komad - *Code referred to 1 single piece*


DODATNA OPREMA NA ZAHTEV / *ACCESSORIES ON DEMAND*

KOPLJE SA DUGIM MESINGANIM UMETKOM *LANCE WITH LONG BRASS INSERT*	KRIVO KOPLJE SA MESINGANIM UMETKOM *CURVED LANCE WITH BRASS INSERT*	PROFESIONALNA MOP ČETKA *PROFESSIONAL MOP BRUSH*
		
Šifra S.010059	**Šifra** S.010057	**Šifra** S.010199*

* Može se povezati sa produžnim cevima pomoću zgloba isporučenog uz mašinu (S.010055)
Connectable to extensions pipe by elbow supplied with the machine (S.010055)

PHOENIX - PROFESIONALNI PAROČISTAČ
PROFESSIONAL STEAM CLEANER

BELA KRPA OD MIKROFIBRE *WHITE MICROFIBRA CLOTH*	**PRUGASTA KRPA OD MIKROFIBRE** *STRIPED MICROFIBRA CLOTH*
	
Šifra S.010200	**Šifra** S.010201



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					**PAKOVANJE** *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
PHOENIX	300	450	250	12	500	600	420	20

		PHOENIX
šifra *code*		● S.270032
boja *colour*		STEEL GREY
zapremina rezervoara za vodu *water tank capacity*	[l]	1,5
pritisak *pressure*	[bar]	10
temperatura pare u kotlu *boiler steam capacity*	[°C]	190
napajanje *power supply*	[V - ph - Hz]	230 - 1 - 50
ukupna potrošnja snage *total power consumption*	[kW]	3,2
potrošnja snage kotla *boiler power consumption*	[kW]	3,2
kotao *boiler*		AISI 316
zapremina kotla *boiler volume*	[l]	2,5
protok pare (min) *steam injection (min)*	[gr/min]	25
protok pare (max) *steam injection (max)*	[gr/min]	100
vreme zagrevanja (para spremna za upotrebu) *heating time (steam ready to use)*	[min]	5
dužina električnog kabla *power cable lenght*	[m]	7

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com