BIEMMEDUE
heating, cleaning and drying

TSD TOTAL STOP DELAY · 1450 RPM · INTERPUMP PUMPS · SECURE JOINTS · INLET RESERVOIRE · HOSE 10 meters · HOSE NO MARKING · BRAKE



SIDRA

PROFESIONALNI PERAČI POD PRITISKOM SA TOPLOM VODOM

PROFESSIONAL HOT WATER HIGH PRESSURE CLEANERS

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

SIDRA - PROFESIONALNI PERAČI POD PRITISKOM SA TOPLOM VODOM


- Odloženo potpuno zaustavljanje
- Klipne pumpe sa keramičkim klipovima i mesinganom glavom
- Motor 1450 rpm
- Pumpe nove generacije, visoke efikasnosti i dugog veka trajanja
- Zaštita spoja motor/pumpa posebnim sistemom za zadržavanje maziva (SJ)
- Visokopritisno doziranje deterdženta
- Posuda za napojnu vodu sa plovnim ventilom
- Filter za vodu dostupan sa spoljne strane mašine
- Kotao sa stepenom iskorišćenja preko 89%
- Predventilacija kotla
- Termička zaštita motora
- Dva slobodna točka i jedan okretni sa kočnicom
- Priprema za motalicu (opcija)

- *Delayed total-stop*
- *Triplex plunger pump with three ceramic pistons and brass head*
- *1450 rpm motor*
- *New generation pumps, high efficiency and durability*
- *Motor/pump coupling protection with special lubricant retention system (SJ)*
- *High pressure detergent injection system*
- *Built-in water tank with floating valve*
- *Water filter, accessible for inspection from the outside of the machine*
- *Boiler with over 89% efficiency*
- *Pre-ventilation boiler*
- *Motor thermal protection*
- *Two free wheels and wheel with brake*
- *Hose reel (optional)*





Električna tabla 24 V
24 V Control Panel












OPREMA U ISPORUCI / *SUPPLIED ACCESSORIES*



N°	MOD.	ŠIFRA	OPIS - *DESCRIPTION*
1	Svi - *All*	01AC583	Pištolj sa kratkim kopljem (in M22 out M22) *Spray gun with Semilance (in M22 out M22)*
2	Svi - *All*	01AC419	Koplje INOX l=70 cm (in M22 out 1/4"F) Stainless steel *lance l=70 cm (in M22 out 1/4"F)*
3	130/10 170/13	I50276 I50202	Dizna - *Nozzle 1/4"M 25035* Dizna - *Nozzle 1/4"M 2504*
4	Svi - *All*	01AC401	Crevo V.P. - *H.P. Hose 5/16" l=10 m R1 M22 - M22*
5	Svi - *All*	B.RCVR00170	Nastavak za crevo sa brzom spojnicom 1/2" *Hose connector 1/2"*
6	Svi - *All*	B.RCVR00169	Priključak za crevo 3/4" *Threaded tap adaptor 3/4"*
7	Svi - *All*		Ključ *Key*


DODATNA OPREMA NA ZAHTEV/ *ACCESSORIES ON DEMAND*

KOMPLET DIZNE ZA ČIŠĆENJE CEVI *RETRO NOZZLE KIT*	KOMPLET ROTIRAJUĆE TURBO DIZNE *PIPE CLEANING KIT*	KOMPLET ZA PESKARENJE *SANDBLASTING KIT*
		
Mod. Svi - *All* Crevo-*Hose* (15 m) **Šifra** 01AC376	**Mod.** Svi - *All* Koplje - *Lance* (70 cm) **Šifra** 01AC514	**Mod.** 130/10 (035= 1,12 mm) **1** **Šifra** 01AC473*
Mod. 130/10 Dizna - *Nozzle* (040) **Šifra** 01AC471	**Mod.** 130/10 Dizna - *Nozzle* (035) **Šifra** 01AC293	**Mod.** 170/13 (04= 1,19 mm) **1** **Šifra** 01AC474*
Mod. 170/13 Dizna - *Nozzle* (045) **Šifra** 01AC403	**Mod.** 170/13 Dizna - *Nozzle* (045) **Šifra** 01AC295	**Mod.** Svi - *All* **2** Dizna za pesak - *Sand Nozzle* (rezervni deo - *spare part*) **Šifra** 01AC480
PESAK (25 KG) ***SAND (25 KG)***	**MOTALICA OD NERĐAJUĆEG ČELIKA AISI 304 - L MAX =30 m** ***STAINLESS STEEL AISI 304 HOSE REEL L MAX = 30 m***	**DOPLATA ZA SERPENTINU OD NERĐAJUĆEG ČELIKA** ***PRICE INCREASE FOR STAINLESS STEEL HEATING COIL***
		
Mod. Svi - *All* **Šifra** 01AC284	**Mod.** Svi - *All* **Šifra** 01AC467	**Mod.** Svi - *All* **Šifra** 01AC494

* Dizna je uključena u komplet - Nozzle icluded

SIDRA - PROFESIONALNI PERAČI POD PRITISKOM SA TOPLOM VODOM
PROFESSIONAL HOT WATER HIGH PRESSURE CLEANERS

CEV ZA BAJPAS POSUDE ZA VODU *BY-PASS PIPE FOR WATER TANK*	KOMPLET ZAŠTITE KOMANDNE TABLE *CONTROL PANEL PROTECTION*	ADAPTER ZA ODVOD DIMNIH GASOVA *EXHAUST PIPE ADAPTOR* Ø 200 mm
		
Mod. Svi - *All* **Šifra** 01AC279	**Mod.** Svi - *All* **Šifra** 01AC35	**Šifra** 01AC560
CEV ZA ODVOD DIMNIH GASOVA ***STAINLESS STEEL EXHAUST PIPE*** **Ø 200 mm**	**ZAVRŠETAK DIMNJAKA OD INOX-a** ***STAINLESS STEEL CHIMNEY POT*** **Ø 200 mm**	**FIKSNI REDUKTOR PRITISKA** ***PRESSURE REDUCER***
		
Šifra 02AC287 l=1m	**Šifra** 02AC284	**Šifra** B.RIDT00006



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
SIDRA 130/10	956	610	940	101	1.050	720	1.120	119
SIDRA 170/13	956	610	940	111	1.050	720	1.120	129

		130/10	170/13
šifra - *code*		● 01SI00	● 01SI10
maks. pritisak - *max. pressure*	[bar] [MPa - psi]	130 13 - 1.880	170 17 - 2.460
maks. protok - *max. flow rate*	[lt/h]	600	735
pumpa - *pump*		IP E2	IP E2
sistem zaustavljanja - *stop system*		TSD	TSD
broj obrtaja pumpe - *pump speed*	[rpm]	1.450	1.450
maks. apsorbovana snaga - *max. absorbed power*	[Kw]	3,0	4,7
napajanje - *supply voltage*	[V -ph - Hz]	230-1-50	400-3-50
maks. temperatura - *max. temperature*	[°C]	80	80
rezervoar za dizel gorivo - *fuel tank*	[lt]	35	35
rezervoar za deterdžent - *cleaning agent tank*	[lt]	3	3

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com