BIEMMEDUE
heating, cleaning and drying



SP 65 - 65 T & SM 50 - 50 B AC

USISIVAČI ZA SUVO I MOKRO USISAVANJE SA 1 MOTOROM ZA PROFESIONALNU UPOTREBU

SINGLE-MOTOR WET & DRY VACUUM CLEANERS FOR PROFESSIONAL USE

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

SP 65 - 65 T & SM 50 - 50 B AC - USISIVAČI ZA SUVO I MOKRO USISAVANJE SA 1 MOTOROM ZA PROFESIONALNU UPOTREBU

- Priručni, laki za premeštanje
- Veliki filter za veću filtracionu površinu
- Snažan dvostepeni motor sa bypass-om od 1400 W pruža vrhunske performanse za usisavanje prašine i tečnosti
- Idealni za upotrebu u prostorima kao što su radnje, radionice, servisi, garaže, magacini itd.
- Neophodna oprema za sve firme za čišćenje i za uklanjanje velikih količina prljavštine i prašine
- Uključuju komplete profesionalnog pribora i filtere za čišćenje podova, malih uglova i teško dostupnih procepa, unutrašnjosti automobila i mnogih drugih površina
- Svi modeli SM 50 imaju rezervoar od nerđajućeg čelika AISI 430
- SM 50 B AC je montiran na čvrstu kolica za nagibanje radi lakšeg pražnjenja i stabilnu otpornu osnovu sa točkovima za sve vrste podloga
- Svi modeli SP 65 imaju plastičnu posudu od 65 litara, čvrstu, otpornu na udarce: maksimalna zapremina na minimalnom prostoru
- Ručka i veliki zadnji točkovi čine model SP 65 T pogodnim i posebno korisnim za upotrebu na neravnom i neuređenom terenu

- *Easy to handle, easy to move, self-contained units*
- *Oversized filter for higher filtration surface area*
- *An extra powerful 1400 W two-stage bypass motor provides superior performance for both wet and dry pick-up*
- *Ideal for use in workshops, garages, warehouses, etc.*
- *Necessary equipment for all cleaning companies and for large-volume dust and waste removal*
- *Include professional attachment kits and filters, for cleaning of floors, upholstery, small corners and crevices, hard to reach places, car interiors, and many other diverse areas*
- *All SM 50 models have a stainless steel AISI 430 tank*
- *SM 50 B AC is mounted on a robust tip & pour frame to facilitate emptying operations and to provide a resistant wheel base for all terrains*
- *All SP 65 models have robust, shock-proof 65 litre plastic tanks: maximum volume in minimum space*
- *The handle and large rear wheels of the SP 65 T make it suitable and convenient for use on rough uneven grounds*

SP 65 *SP 65 T* *SM 50* *SM 50 B AC*









SERIJSKA OPREMA / *SUPPLIED ACCESSORIES*



N°	MOD.	ŠIFRA	OPIS - *DESCRIPTION*
1	Svi - *All*	004.329	Fleksibilno crevo prečnika 40 mm, komplet (l= 3m) *Flexible hose diam.40 mm complete (l=3 m)*
2	Svi - *All*	004.046*	Dvostruko koleno od čelika prečnika 40 mm (x2) *Double-elbow steel tube, diam. 40 mm (x2)*
3	Svi - *All*	004.331	Četka sa čekinjama „S" prečnika 40 mm - *Brush floor tool "S" diam.40 mm*
4	Svi - *All*	004.326	Usisna letva za tečnosti prečnika 40 mm *Squeegee floor tool diam.40 mm*
5	Svi - *All*	004.421	Ravni nastavak prečnika 40 mm *Crevice tool diam.40 mm*
6	Svi - *All*	004.088	Okrugla četkica prečnika 40 mm *Round brush diam.40 mm*
	Svi - *All*	004.430	Poliesterski filter sa nosačem filtera i držačem *Polyester filter with support ring and basket*
	Svi - *All*	004.410	*Filter od sunđera* *Sponge filter*
	Svi - *All*	004.335	*Super filter kesa* *Super filter bag*

* Šifra se odnosi na 1 komad - *Code referred to 1 single piece*


DODATNA OPREMA NA ZAHTEV/ *ACCESSORIES ON DEMAND*

POLIESTERSKI KARTRIDŽ FILTER KLASE M *CARTRIDGE POLYESTER FILTER CLASS M*	HEPA FILTER KLASE H13 *HEPA FILTER CLASS H13*	NAJLONSKI FILTER *NYLON FILTER*
		
Mod. Svi-*All* **Šifra** 004.387	**Mod.** Svi-*All* **Šifra** 004.437	**Mod.** Svi-*All* **Šifra** 004.103
FILTER OTPORAN NA VISOKE TEMPERATURE ***HEAT-RESISTANT FILTER***	**KIT ZA PEĆ** ***OVEN KIT***	**KIT CREVA ZA ISPUŠTANJE TEČNOSTI** ***DRAIN HOSE KIT***
		
Mod. SM 50 - SM 50 B AC **Šifra** 004.417	**Mod.** SM 50 - SM 50 B AC **Šifra** 004.332	**Mod.** SP 65 - SP 65 T **Šifra** 004.499.001** **Mod.** SM 50 **Šifra** 004.425**

(**) Ugrađuje se tokom proizvodnje mašine - *Must be installed during manufacturing*

SP 65 - 65T & SM 50 - 50 B AC - USISIVAČI ZA SUVO I MOKRO USISAVANJE SA 1 MOTOROM ZA PROFESIONALNU UPOTREBU

SINGLE-MOTOR WET & DRY VACUUM CLEANERS FOR PROFESSIONAL USE



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
SP 65	445	415	800	12,5	512	512	965	14,5
SP 65 T	610	520	800	14	694	604	1.035	16
SM 50	400	400	830	14,4	512	512	965	18,6
SM 50 B AC	620	540	900	17	694	604	1.035	21,2

		SP 65	SP 65 T	SM 50	SM 50 B AC
šifra - *code*		● 008.363	● 008.328	● 008.370	● 008.339
maks. snaga - *max. power*	[W]	1.200	1.200	1.200	1.200
napajanje - *power supply*	[V - faze - Hz]	230-1-50/60	230-1-50/60	230-1-50/60	230-1-50/60
tip motora - *motor type*		BP	BP	BP	BP
podpritisak - *water lift*	[mm H_2O]	2.450	2.450	2.450	2.450
protok vazduha - *air flow*	[m³/h]	210	210	210	210
zapremina posude u litrima - *tank volume in liters*	[l]	65	65	50	50
materijal posude - *tank material*		PE HD	PE HD	SS 430	SS 430
nivo buke - *noise level*	[dBA]	65	65	65	65
komplet pribora - *attachments kit*	[mm]	40	40	40	40
dužina električnog kabla - *electric cable lenght*	[m]	7	7	7	7
dimenzije palete - *pallet dimensions*	[cm]	100x120x195	110x130x217	100x120x195	110x130x217
količina po paleti - *pallet quantities*	[kom - pcs]	8	8	8	8

BP = Dvostepeni sa bypass hlađenjem - *2 stage with bypass cooling*
SS 430 = Nerđajući čelik AISI 430 - *Stainless steel AISI 430*
PE HD = Polietilen visoke gustine - *High density polyethylene*

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com