BIEMMEDUE
heating, cleaning and drying

10 bar · X3 · X3



URSA CAR WASH

PROFESIONALNI JEDNOFAZNI PAROČISTAČ I USISIVAČ ZA DETAILING

DETAILING PROFESSIONAL SINGLE-PHASE STEAM AND VACUUM CLEANER

ECO Steam · Vojvode Putnika 43, Trnava, 35000 Jagodina · tel. +381 63 640 101 · info@eco-steam.rs · www.eco-steam.rs

URSA CAR WASH - PROFESIONALNI JEDNOFAZNI PAROČISTAČ I USISIVAČ ZA DETAILING

- Nominalni pritisak od 10 bar i temperatura pare od 190°C
- Kotao i kućište ventila od nerđajućeg čelika AISI 316
- Proizvodnja pare: kontinuirani protok sa sistemom automatskog punjenja, rad 24h bez prekida
- Regulacija pare/usisavanja na tri nivoa sa ručke pištolja, sa LED indikacijom na mašini
- Funkcija ubrizgavanja ekološkog deterdženta u kombinaciji sa mlazom pare za duboko čišćenje i dezinfekciju
- Funkcija ubrizgavanja hladnog deterdženta preko posebnog kanistera iz serijske opreme, aktivira se sa ručke pištolja
- Vrhunski jednofazni paročistač: robustan, snažan, a istovremeno lak za transport zahvaljujući ugrađenim bočnim ručkama, potisnoj ručki na zadnjoj strani mašine i 4 kvalitetna točka koja ne ostavljaju tragove (2 prednja okretna)
- Mašina proizvodi suvu, zasićenu paru visokog kvaliteta i može da sanitizuje i higijenizuje različite površine
- Inteligentno upravljanje unutrašnjim komponentama i raspodela snage uređaja omogućavaju veliku uštedu energije
- Širok izbor serijske opreme namenjene auto-perionicama i detailingu
- Sistem za brzo pražnjenje sadržaja bureta usisivača
- Ukupno 4 nosača za crevo
- Brz i intuitivan sistem za pričvršćivanje kante na mašinu

- *10 bar of nominal pressure and 190°C of steam temperature*
- *Boiler and valve body in stainless steel AISI 316*
- *Steam production: automatic filling system with continuous flow allowing 24h work straight*
- *Three different steam/vac regulations; activated by the gun grip with led indicator on-board*
- *Ecological detergent injection function in combination with steam jet for deep cleaning and disinfection*
- *Cold detergent injection function with dedicated tank, activated by botton on gun grip*
- *Top range 230V steam cleaner: robust, performing and easy to handle thanks to the foldable side handles, to the push bar located at the rear of the unit and to the 4 sturdy non marking wheels (2 of them swivelling)*
- *The unit produces dry, saturated, quality steam and it 's able to clean and sanitize multiple surfaces*
- *The smart settings of the internal components and the absorbed power distribution allows a considerable energy savings*
- *Wide range of accessories for Car wash and detailing*
- *Quick discharge system of the vacuum cleaner tank*
- *4 pipe support rods*
- *Quick and intuitive system for fixing the bin on the machine*









SERIJSKA OPREMA / *SUPPLIED ACCESSORIES*




N°	ŠIFRA	TIP - *TYPE*	OPIS - *DESCRIPTION*
1	10AC004	PARA/USISAVANJE *STEAM/VAC*	Fleksibilno crevo 5m *Flexible pipe 5m*
2	10AC003	PARA *STEAM*	Fleksibilno crevo 5m *Flexible pipe 5m*
3	10AC002	-	Četka za hladno pranje sedišta *Car seat cold wash brush*
4	S.010034	PARA/USISAVANJE *STEAM/VAC*	Prozirna mlaznica (mala - "M" priključak) *Transparent crevice tool (small-M connection)*
5	S.010045	PARA/USISAVANJE *STEAM/VAC*	Mlaznica sa metalnim umetkom *Crevice tool with metal insert*
6	S.010046	PARA/USISAVANJE *STEAM/VAC*	Četkica, meke čekinje *Soft brush*
7	S.010146	PARA *STEAM*	Četkica (prečnik 60 mm), poliesterske čekinje *Brush (diam.60 mm) with nylon bristles*
	S.010147		Četkica (prečnik 30 mm), poliesterske čekinje *Brush (diam.30 mm) with nylon bristles*
8	S.010143	PARA *STEAM*	Koplje za četkice *Lance for brushes*
9	S.010070	-	Torba za dodatnu opremu *Accessories bag*
10	S.220017	-	Kanister 3l *3l tank*
11	S.180003	-	Ekološko sredstvo protiv kamenca (500 ml) *Ecological limescale inibitor (500 ml)*
12	S.210027		Ključ za ispuštanje *Drainage key*

DODATNA OPREMA NA ZAHTEV / *ACCESSORIES ON DEMAND*

KOPLJE ZA RASPRŠIVANJE (para/usisavanje) *NEBULIZING LANCE (steam/vac)*	PROZIRNA MLAZNICA PARA/USIS. (VELIKA - "M" PRIKLJUČAK) *TRANSPARENT STEAM/VAC CREVICE TOOL (BIG- "M" CONNECTION)*	POLIESTERSKI FILTER SA NOSAČEM FILTERA *POLYESTER FILTER WITH SUPPORT RING*
		
Šifra S.010247	**Šifra** S.010033	**Šifra** 004.424

URSA CAR WASH - PROFESIONALNI JEDNOFAZNI PAROČISTAČ I USISIVAČ ZA DETAILING

DETAILING PROFESSIONAL SINGLE-PHASE STEAM AND VACUUM CLEANER



TEŽINA I DIMENZIJE MAŠINE *WEIGHTS AND DIMENSIONS MACHINE*					PAKOVANJE *PACKAGING*			
MOD	A	B	C	Neto/*Net*	X	Y	H	Bruto/*Gross*
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
URSA CAR WASH	500	500	1200	25	-	-	-	-
1/2	-	-	-	-	600	550	840	35
2/2	-	-	-	-	460	460	770	11

		URSA CAR WASH
šifra *code*		● 10UCW000
boja *colour*		STEEL GREY
zapremina rezervoara za deterdžent *detergent tank capacity*	[l]	5
zapremina rezervoara za vodu *water tank capacity*	[l]	5
pritisak *pressure*	[bar]	10
temperatura pare u kotlu *boiler steam capacity*	[°C]	190
napajanje *power supply*	[V - ph - Hz]	230 - 1 - 50/60
ukupna potrošnja snage *total power consumption*	[kW]	3,2
potrošnja snage kotla *boiler power consumption*	[kW]	3,2
zapremina kotla *boiler volume*	[l]	2,5
protok pare (EV1) *steam injection (EV1)*	[gr/min]	65
protok pare (EV2) *steam injection (EV2)*	[gr/min]	80
protok pare (EV3) *steam injection (EV3)*	[gr/min]	105
kotao *boiler*		AISI 316
protok deterdženta (EV1+EV2+EV3) *detergent injection (EV1+EV2+EV3)*	[gr/min]	150
potrošnja snage motora usisivača *vac motor power consumption*	[W]	1.000
podpritisak *vac depression*	[mm H_2O]	2.200
zapremina kante za usisavanje *waste vac tank capacity*	[l]	40
vreme zagrevanja (para spremna za upotrebu) *heating time (steam ready to use)*	[min]	6
dužina električnog kabla *power cable lenght*	[m]	7

BIEMMEDUE S.p.A. Via Industria, 12 - 12062 Cherasco (CN) - Italy - T. +39 0172 486111 - F. +39 0172 488270
bm2@biemmedue.com - www.biemmedue.com